

## **OPERMART** data sheet

Product 20240199 Condition: Used Positive 0 % Positive feedback: feedback

Brand: CMW Category: Wounded Rotor induction Return policy: NO

Total: 1 Seller ID: farha4OSZW Guarantee: NO

Short description: eryeryey



General data	Electrical data	Mechanical data
ifting Lugs	Temperature class	Temperature winding protection
Feedback Device	Max torque	AIR FLOW DIRECTION
Serial number	Electrical time constant	AIR FILTER
Frame size	Service factor	Brushed -Motor Type
Cooling type	Space heater	Long life brush system
Rotor weight	Rated Voltage	Terminal box position 456 kV
Year made	Rotor current	Direction of rotation
-actory location	Rated power	Duty cycle(Type of duty) 10 kW
Body Material	Number of Phase	Number of speed
Mounting	Rated frequency	Temperature rise 50 Hz
life time	Rated Speed	No load Noise (SPL 1 meter)
Electrical data	Rated Current	BRAKE
Torque Constant	- Input power	DE bearing
Rated slip	- Power factor	NDE bearing
Winding Type	- Rated torque	Shaft type
Phase winding inductance	- Locked rotor torque	shaft diameter
Phase winding resistance	- Breakdown torque	shaft length
Dielectric Strength	- Connection type	- Paint color
Rotor inertia	- Starting method	Temperature Bearing protection
Detent torque	- Insulation class	Mechanical Bearing protection
Locked Rotor Time (Cold)	- Efficiency class	Position of main cable entry
Locked Rotor Time (Hot)	- Efficiency (%)	Cable gland size
Rotor voltage 55		Bearing type
Ground Lug	Mechanical data	Environmental data
Base RPM	Fan blade	Altitude ? ASL
Hot start number	Air flow	Design Humidity
Cold start number	Impeller	Enclosure Protection